

We claim:

1. A decorator coupler for insertion into a bag fabricated to hold filling, comprising:
a hollow tube having a non-decorative opening and a decorative opening, the non-decorative opening shaped to remain within the interior of the bag, the decorative opening designed to extrude filling in a first decorative shape, wherein the decorator coupler is attachable to a decorative tip for extruding filling in a second decorative shape.
2. The decorator coupler of claim 1, wherein the decorator coupler has an externally threaded portion capable of engaging with a retaining nut.
3. The decorator coupler of claim 1, wherein the decorator coupler tapers downwardly from the non-decorative opening to the decorative opening.
4. The decorator coupler of claim 1, wherein the coupler has a shoulder to securely seat the coupler in the bag.
5. A food decorating assembly comprising:
a flexible bag having an upper end including an upper aperture and a lower end including a lower aperture, the upper aperture sized to receive filling and the lower aperture sized to dispense filling;

a decorator coupler having a decorative opening, the decorative opening designed to extrude filling in a first decorative shape, the decorator coupler insertable into the bag with the decorative opening protruding through the lower aperture of the bag wherein the decorator coupler is attachable to a decorative tip for extruding filling in a second decorative shape; and

a retaining nut devised to engage a decorative tip to the decorator coupler.

6. The food decorating assembly of claim 5, wherein the decorator coupler has an externally threaded portion capable of engaging with the retaining nut.
7. The food decorating assembly of claim 5, further comprising at least one decorative tip sized to communicate with the decorator coupler and the retaining nut.
8. The food decorating assembly of claim 5, wherein the bag comprises plastic or fabric.
9. The food decorating assembly of claim 5, wherein the flexible bag is preassembled with a decorator coupler seated at the lower end.
10. The food decorating assembly of claim 5, wherein the flexible bag is pre-filled with filling.
11. A method of decorating food comprising:

providing filling in a flexible bag, the bag having an upper aperture sized to receive filling and a lower aperture sized to dispense filling, the bag having a decorator coupler protruding through the lower aperture, the decorator coupler having a decorative opening designed to extrude filling in a first decorative shape; and

providing pressure on the bag to push filling through the decorator coupler and onto the food.

12. The method of claim 11 further comprising attaching a decorative tip to the decorator coupler, the decorative tip extruding filling in a decorative shape different from that made by the decorator coupler.
13. The method of claim 12, wherein the tip is attached by a retaining nut to the decorator coupler, the retaining nut designed to engage the decorative tip to the decorator coupler.
14. The method of claim 12, wherein a retaining nut secures the decorative tip to the decorator coupler.